



2EN

renewable energy sources
services and applications

Meteorological Masts Accessories



Anchors



Earth Anchor 100X100X10 100cm

Code: 05.00.000



Earth Anchor 60X60X6 100cm

Code: 05.00.001



Rock anchor o Ø22mm 100cm

Code: 05.01.001



Rock anchor Ø28mm 100cm

Code: 05.01.002



Chain LASHING per meter

Code: 25.13.02.005



Arrow Head anchors 5/8
(6.5*20cm)

Code: 05.02.001



Arrow Head anchors 5/8 (9*30cm)

Code: 05.02.002



Anchoring rod for arrow Head
anchors 5/8 110cm with coupling
nut

Code: 05.02.003



Anchoring rod for arrow Head
anchors 5/8 110cm without eyenut
& coupling nut

Code: 05.02.004



Anchoring rod for arrow Head
anchors 5/8 110cm with eyenut

Code: 05.02.005

Gin poles – tools for mast lifting



Gin pole 6m long 130mm for 20m mast

Code: 03.04.000.SET



Gin pole 6m long 130mm for 20m mast not including rope, shackles and lifting bracelet

Code: 03.04.011.SET



Gin pole 9m long for 30 – 40m mast using tubes of 130mm

Code: 03.04.001.SET



Gin pole 9m long 130mm for 30 – 40m mast not including rope, shackles and lifting bracelet

Code: 03.04.012.SET



Gin pole 9m long for 40m mast using tubes of 152mm

Code: 03.04.003.SET



Gin pole 9m long 152mm for 40m mast not including rope, shackles and lifting bracelet

Code: 03.04.013.SET



Gin pole 9m long suitable for 44m lattice mast using tubes of 152mm

Code: 03.04.008.SET



Gin pole 9m long 152mm suitable for 44m lattice mast not including rope, shackles and lifting bracelet

Code: 03.04.014.SET



Gin pole 12m long suitable for 54m lattice mast using tubes of 152mm

Code: 03.04.006.SET



Gin pole 12m long 152mm suitable for 54m lattice mast not including rope, shackles and lifting bracelet

Code: 03.04.015.SET



Lattice 360mm gin pole 15m long suitable for 65m lattice mast including 6m 130mm tubular auxiliary gin pole

Code: 03.04.009.SET



300kg Winch to raise and lower 10m masts

Code: 19.00.002



800kg Winch including 13m guy wire to raise and lower 10m – 20m masts

Code: 19.00.000.SET



1600kg Winch including 20m guy wire to raise and lower 30m – 40m masts


Code: 19.00.004.SET



3200kg Winch including 20m guy wire to raise and lower 40m – 65m masts

Code: 19.00.005.SET

Booms



Hanging for the protection box (pair) inox

Code: 01.07.000.SET



Lightning protection vertical boom Ø130mm 120cm long inox

Code: 01.02.002.SET



Lightning protection vertical boom Ø152mm 120cm long inox

Code: 01.02.003.SET



Lightning protection vertical boom for lattice tower 100cm long Ø35 inox

Code: 01.05.017.SET



Lightning protection side boom Ø130mm inox

Code: 01.02.004.SET



Lightning protection side boom Ø152mm inox

Code: 01.02.005.SET



Lightning protection side boom for lattice tower (FRANKLIN) 35mm inox

Code: 01.02.006.SET



Lightning protection side boom for lattice tower suitable for aluminium lightning protection 10-16*3000 25mm inox

Code: 01.02.007.SET



Top boom 25mm 60cm suitable for 130mm mast inox

Code: 01.04.000.SET



Top boom 25mm 60cm suitable for 152mm mast inox

Code: 01.04.001.SET



Top boom 30mm 140cm for lattice tower inox

Code: 01.04.006.SET



Side boom 20mm diameter, 120cm long, 13mm vertical tube inox

Code: 01.05.007.SET



Side boom 30mm diameter, 130cm long, 13mm vertical tube inox

Code: 01.05.001.SET



Side boom 30mm diameter, 130cm long, 25mm vertical tube inox

Code: 01.05.002.SET



Side boom 30mm diameter, 150cm long, 13mm vertical tube inox

Code: 01.05.003.SET



Side boom 30mm diameter, 150cm long, 25mm vertical tube inox

Code: 01.05.004.SET

Booms



Side boom for lattice mast 360mm, 202cm long, 25mm vertical tube inox

Code: 01.05.006.SET



Side boom for lattice mast 360mm, 202cm long, 13mm vertical tube inox

Code: 01.05.005.SET



Side folding boom for lattice mast 470mm, 250cm long, 25mm - 55cm vertical tube inox

Code: 01.05.014.SET



Tandem side folding boom for lattice mast 470mm, 2*250cm long, 25mm - 55cm vertical tube inox

Code: 01.05.016.SET



Side boom for Vector thermometer

Code: 01.03.000



Side boom for the installation of 10 or 32 CD lamp on lattice tower inox

Code: 01.05.009 SET



PV boom 10-20 Watt 130mm inox

Code: 01.06.005.SET



PV boom 10-20Watt 152mm inox

Code: 01.06.007.SET



Vector adaptor (Teflon for 13mm vertical tube)

Code: 02.00.000.SET



Vector adaptor (Aluminium for 25mm vertical tube)

Code: 02.00.001.SET



Vector adaptor (Teflon for 25mm vertical tube)

Code: 02.00.003



NRG adaptor for 25mm vertical tube

Code: 02.00.002.SET



Thies adaptor for 25mm vertical tube

Code: 02.00.004

Cables - remote power



Civil aviation lamp 10cd
Code: 08.02.000



Civil aviation lamp 32cd
Code: 08.02.001



Civil aviation lamp 2000 cd 24 Volt
Code: 08.02.002



Civil aviation lamp 10 cd complete SET, including 30 m cable, 20watt pv, battery, protection box. Suitable for 130mm or 152mm tubular mast.
Code: 08.02.005.SET



Civil aviation lamp 10 cd complete SET, including 40 m cable, 20watt pv, battery, protection box. Suitable for 130mm or 152mm tubular mast.
Code: 08.02.006.SET



Civil aviation lamp 32 cd complete SET, including 30 m cable, 20watt pv, battery, protection box. Suitable for 130mm or 152mm tubular mast.
Code: 08.02.003.SET



Civil aviation lamp 32 cd complete SET, including 40 m cable, 20watt pv, battery, protection box. Suitable for 130mm or 152mm tubular mast.
Code: 08.02.004.SET



Civil aviation lamp 32 cd complete SET, including 44 m cable, 20watt pv, battery, protection box. Suitable for lattice mast.
Code: 08.02.007.SET



Civil aviation lamp 32 cd complete SET, including 54 m cable, 20watt pv, battery, protection box. Suitable for lattice mast.
Code: 08.02.008.SET



Civil aviation lamp 2000 cd complete SET, including 54 m cable, 100watt pv, batteries, protection box. Suitable for lattice mast.
Code: 08.02.009.SET



Cable 2X0.25 LIYCY, per meter
Code: 25.13.00.000



Cable 2X2.5 LIYCY, per meter
Code: 25.13.00.001



Cable 3X0.25 LIYCY, per meter
Code: 25.13.00.002



Cable 8X0.25 PARAFLEX-CY, per meter
Code: 25.13.00.003



Grounding cable 10mm², per meter
Code: 25.13.00.004



Grounding cable copper without insulation 1X35mm², per meter
Code: 25.13.00.008

Cables – power supply



Junction box. Suitable for 70mm up to 152mm tubular mast

Code: 09.00.000.SET



Junction box. Suitable for lattice mast

Code: 09.00.004.SET



Battery 12volt 12Ahr YUASA

Code: 08.00.000



Battery 12volt 65Ahr YUASA

Code: 08.00.004



Battery 115 Ahr

Code: 08.00.002



Battery 9Volt

Code: 25.08.00.002



Grounding stake 17mm 300µm copper

Code: 08.01.000



Triangular grounding set including 3 - 300µm grounding stakes Ø17mm copper Ø35 cable and connectors.

Code: 08.01.002.SET

FRANKLIN 30X3000 lightning protection

Code: 08.01.001 SET

Aluminium lightning protection 10-16*3000

Code: 08.01.004



PV charger morning star 12volt

Code: 08.03.000



PV charger 24volt STECA SOLSUM 10.10

Code: 08.03.002



PV 5 watts

Code: 08.04.003



PV 10 watts

Code: 08.04.007



PV 20 watts

Code: 08.04.008

Sensors



Windvane NRG
Code: 10.00.000



Windvane Vector W200P
Code: 10.00.001



Anemometer NRG ISO 17025 & MEASNET calibrated
Code: 10.01.034



Anemometer Vector A100LK/PC3 with lightning protection
Code: 10.01.025



Anemometer Thies 1st class
Code: 10.01.004



Barometer (NRG)
Code: 10.02.000



Thermometer Vector T351 1/3DIN
Code: 10.03.000



Resistance, high precision 350 Ohm (to connect PT100 to Stylitis 41 data logger)
Code: 25.18.00.001



Resistance, high precision 2000 Ohm (to connect PT100 to Stylitis 101 data logger)
Code: 25.18.00.004



Temperature sensor NRG #110S
Code: 10.03.001



Humidity sensor (NRG)
Code: 10.04.000



Combined temperature and humidity sensor (Rotronic)
Code: 10.05.001



Pyranometer CMP3
Code: 10.05.002



Pyranometer CMP6
Code: 10.05.003

Dataloggers



One counter channel card (n°22)
for Stylitis 101

Code: 11.00.000



Three analog channels card (n°12)
for Stylitis 101

Code: 11.00.001



Flash memory card

Code: 11.04.002



GSM antenna (inside)

Code: 11.02.001



Datalogger protection box
Arial 54

Code: 09.00.001



GSM modem

Code: 11.03.000



GSM Timer

Code: 11.03.003



Datalogger Stylitis 101 with 3
counters and 0 analog channels

Code: 11.01.000



Datalogger Stylitis 41 with 3
counters and 4 analog channels

Code: 11.01.001